

INDEX MAPS.

T. 13N, R. 5 E. 2nd Mer.

	5-8	5-8	5-7	6-7	6-7	6						
11	6	33	5	27	4	23	3	19	2	15	1	4
	33		32		27		23		19		15	
10	7	32	8	26	9	22	10	18	11	14	12	4
	32		31		26		22		18		14	
10	18	31	17	26	16	22	15	18	14	14	13	4
	31		30		25		21		17		13	
9	19	30	20	25	21	21	22	17	23	13	24	3
	29		29		25		21		17		13	
9	30	29	29	24	28	20	27	16	26	12	25	3
	28		28		24		20		16		12	
9	31	28	32	24	33	20	34	15	35	11	36	3
	2		2		2		1		1		1	

Meanders 34

Meanders 34

T. 14N, R. 5 E. 2nd Mer.

	43	42	42	42	42	41						
45	6	69	5	61	4	57	3	53	2	49	1	41
	69		68		61		57		53		49	
45	7	67	8	61	9	57	10	53	11	48	12	40
	67		67		60		56		52		48	
44	18	66	17	60	16	56	15	52	14	48	13	40
	66		65		60		56		52		47	
44	19	65	20	59	21	55	22	51	23	47	24	40
	64		64		59		55		51		47	
44	30	63	29	58	28	55	27	50	26	46	25	39
	63		62		58		54		50		46	
43	31	62	32	58	33	54	34	50	35	46	36	39
	38		38		38		37		37		37	

Meanders 69

Meanders 69

South Boundary

Nest On S. boundary of Sec. 36, T14N. R3E.
 30.60 a W. Oak 24 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Beech 14 in. dia. bear S 39 W 17 lks. dist. of
 a Do 15 " " " N 53 W 14 " "
 74.00 a Sugar 20 " "
 80.00 Set a post Cor. to Sec. 35 & 36, from which
 a Beech 16 in. dia. bear N 28 E 12 lks. dist. of
 a Hickory 12 " " " S 8 E 12 " "
 Over good farming land, timber Beech, Sugar
 Ash, underg^g. Spruce

Nest On S. boundary of Sec. 35, T14N. R3E.
 38.00 a Brook 4 lks. wide Course N.W.
 40.00 Set the gr. Sec. post, from which
 a Hickory 13 in. dia. bear S 87 E 11 lks. dist. of
 a Beech 14 " " " N 78 W 10 " "
 65.15 a Beech 14 " "
 68.00 a Brook 5 lks. wide Course N.W.
 80.00 Set a post Cor. to Sec. 34 & 35, from which
 a Beech 14 in. dia. bear S 80 E 13 lks. dist. of
 an Ash 12 " " " S 84 W 22 " "
 Over good farming land, timber Beech, Ash &c
 underg^g. Spruce

Nest On S. boundary of Sec. 34, T14N. R3E.
 10.40 an Ash 20 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Hornbeam 8 in. dia. bear S 2 E 19 lks. dist. of
 a Hickory 12 " " " N 40 W 39 " "
 52.60 a Walnut 20 " "
 80.00 Set a post Cor. to Sec. 33 & 34, from which

T4N R3E T. Mer. Indiana

a Beech 12 in. dia. bray N 85 E 32 lbs. dist. of
 a do 7 " " " N 70 W 10 " "
 Sand timber & same as on the last mile

Nest On S. boundary of Sec. 33, T4N. R3E.
 33.50 an Oak 24 in. dia.

40.00 Let the gr. Sec. post, from which
 an Oak 40 in. dia. bray N 41 W 2 lbs. dist. of
 an Ash 8 " " " N 81 E 29 " "

52.83 a Beech 12 " "

58.00 a Creek 50 lbs. wide Course North

80.00 Let a post Cor. to Sec. 32 & 33, from which
 a Beech 20 in. dia. bray N 36 E 54 lbs. dist. of
 a do 30 " " " N 43 W 24 " "
 Over good farming land, timber Beech, Ash
 &c. under the Spruce

Nest On S. boundary of Sec. 32, T4N. R3E.

40.00 Let the gr. Sec. post, from which
 a Locust 18 in. dia. bray N 41 E 36 lbs. dist. of
 a Hickory 7 " " " N 85 W 17 " "

60.75 a Beech 13 " "

80.00 Let a post Cor. to Sec. 31 & 32, T4N. R3E, from
 which a Sugar 12 in. dia. bray N 14 E 14 lbs. dist. of
 an Oak 12 " " " N 21 W 21 " "

Over rich land, timber Ash, Buckeye, Sugar &c

Nest On S. boundary of Sec. 31, T4N. R3E.

35.00 a Creek or Bayou 100 lbs. wide S.W.

40.00 Let the gr. Sec. post, from which
 a Buckeye 14 in. dia. bray N 6 E 29 lbs. dist. of
 a Hackberry 20 " " " N 44 W 44 " "

49.60 Let a post on Left bank of White River from which

Map R3E.2. Mer. Indiana

- Aycamore 6 in. dia. - bray S22°N64k. dist. of
 a do 5 " " " N13°W6 " "
 53.83 Let a post on Right bank of W. River from which
 a Maple 14 in. dia. - bray N11°W84k. dist. of
 a do 12 " " " S22°E23 " "
 66.87 Let a post Cor. to T. 13 & 14 N. R. 2 & 3 E. from
 which an Elm 14 in. dia. - bray S21°E25k. dist. of
 a Hackberry 16 " " " N44°E41 " "
 Over River low ground, timber Elm, Hackberry
 overflow, rich Soil.

- East Boundary var. 5.45. E.
 North On E. boundary of Sec. 36, T4 N. R3 E.
 19.36 a Beech 20 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 16 in. dia. - bray N62°W24k. dist. of
 a do 10 " " " N50°E19 " "
 72.21 a Beech 16 " "
 80.00 Let a post cor. to Sec. 25 & 36, from which
 a Beech 22 in. dia. - bray N26°E14k. dist. of
 a do 16 " " " S80°W36 " "
 Rich level land, timber Beech, Elm, Lymn
 Oak, Hickory, undug. Spruce & poplar.

- North On E. boundary of Sec. 25, T4 N. R3 E
 40.00 Let the gr. Sec. post, from which
 a Beech 20 in. dia. - bray N88°E22k. dist. of
 an Elm 14 " " " N76°W21 " "
 41.15 a Sugar 30 " "
 55.00 a Creek 50k. wide course N.W.
 80.00 Let a post Cor. to Sec. 24 & 25, from which
 a W. Oak 21 in. dia. - bray N50°W19k. dist. of
 a Hickory 10 " " " S15°E14 " "

T4 N. R3 E. 2. Mer. Indiana

Good farming land, timber Sugar, Walnut, Elm
Oak &c. undgth Spice, pawpaw &c.

North On E. boundary of Sec. 24, T4 N. R3 E.

3.04 a W. Oak 50 in. dia.

31.00 a Branch 12 lks. wide Course West

40.00 Let the g^r. Sec. post, from which
a Beech 7 in. dia. brang N 70 E 15 lks. dist. of
a No 12 " " " S 78 W 18 " "

50.10 a P. Oak 60 " "

80.00 Let a post Cor. to Sec. 13 & 24, from which
an Elm 27 in. dia. brang S 39 W 25 lks. dist. of
a Sugar 20 " " " East 19 " "
Rich level land, timber Elm, Walnut, Ash, Oak
 Hickory &c. undgth Spice & pawpaw

North On E. boundary of Sec. 13, T4 N. R3 E.

21.46 a B. Oak 50 in. dia.

40.00 Let the g^r. Sec. post, from which
a W. Ash 18 in. dia. brang N 57 W 20 lks. dist. of
a Beech 6 " " " S 54 E 10 " "

60.50 a Beech 21 " "

80.00 Let a post Cor. to Sec. 12 & 13, from which
a Buckeye 8 in. dia. brang N 37 W 28 lks. dist. of
a Hickory 18 " " " S 36 E 24 " "
Rich level land, timber same as on the last mile

North On E. boundary of Sec. 12, T4 N. R3 E.

0.50 a Creek 50 lks. wide Course W.

22.56 a Beech 20 in. dia.

40.00 Let the g^r. Sec. post, from which
a W. Oak 50 in. dia. brang N 42 E 8 lks. dist. of
a Beech 12 " " " N 86 W 18 " "

T14N R3E, 2^d Mer. Indiana

41

- 67.15 a Hickory 21 in. dia.
 80.00 Let a post Cor. to Sec. 1 & 12, from which
 a Beech 20 in. dia. bear N55E 13 lks. dist. of
 an Ironwood 5 " " " S57W 16 " "
 Land, timber &c. same as on the last mile

North On E. boundary of Sec. 1, T14N R3E.

- 5.00 a Branch 15 lks. wide Course W.
 11.41 a Beech 20 in. dia.
 40.00 Let the g^t. Sec. post, from which
 an Elm 8 in. dia. bear N77E 12 lks. dist. of
 a Do 4 " " " S21W 5 " "
 45.88 a W. Oak 18 " "
 62.00 a Branch 8 lks. wide Course W.
 78.90 Intersected parallel between Towns 14 & 15 N.
 Range 3 & 4 E. at 6 m. post. of let. post. from which
 a Beech 16 in. dia. bear N81W 25 lks. dist. of
 a Do 25 " " " S29E 35 " "
 Rich level land, Elm, Walnut, Lym, Sugar,
 Beech, Buckeye &c, undugth. Spruce & poplar

North Boundary

West On S. boundary of Sec. 36, T15N R3E.

- 15.75 a Hickory 18 in. dia.
 40.00 Let the g^t. Sec. post, from which
 a Hickory 12 in. dia. bear N50E 28 lks. dist. of
 a Beech 10 " " " S1E 23 " "
 66.25 a Walnut 40 " "
 80.00 Let a post Cor. to Sec. 35 & 36, T15N R3E from which
 an Ash 8 in. dia. bear N49E 20 lks. dist. of
 an Elm 7 " " " S58W 12 " "
 Over good farming land, timber Beech, Sugar
 ash &c. undugth. Spruce.

T14N-R3E-2^d Mer. Indiana

West On S. boundary of Sec. 35, T15N. R3E.

24.90 a Buckeye 12 in. dia.

40.00 Let the gr. Sec. post, from which

a Beech 14 in. dia. bear N 82 E 18 lks. dist. of

an Ash 13 " " " S 49 W 22 " "

60.90 an Elm 14 " "

80.00 Let a post Cor. to Sec. 34 & 35, T15N. R3E. from which

an Elm 20 in. dia. bear S 70 W 12 lks. dist. of

a Hornbeam 6 " " " N 70 E 8 " "

Over good farming land, timber: Ash, Sugar, Elm &c.

West On S. boundary of Sec 34, T15N. R3E.

40.00 Let the gr. Sec. post, from which

an Oak 7 in. dia. bear N 58 E 19 lks. dist. of

a Elm 12 " " " S 75 W 19 " "

79.50 a Brook 15 lks. wide Course N. W.

80.00 Let a post Cor. to Sec. 33 & 34, T15N. R3E. from which

an Ash 14 in. dia. bear N 60 E 14 lks. dist. of

an Elm 10 " " " N 19 W 7 " "

Over brushy wet swampy land

West On S. boundary of Sec. 33, T15N. R3E.

21.30 a Hickory 20 in. dia.

40.00 Let the gr. Sec. post, from which

a Buckeye 8 in. dia. bear S 72 E 28 lks. dist. of

a Beech 12 " " " N 64 W 9 " "

65.85 a Hickory 14 " "

80.00 Let a post Cor. to Sec. 32 & 33, T15N. R3E. from which

an Ash 16 in. dia. bear N 86 E 48 lks. dist. of

a Hackberry 12 " " " N 56 W 41 " "

Over good farming, timber Oak, Hickory &c.

West On S. boundary of Sec. 32, T15N. R3E.

T4 N R3 E. 2^d Mer. Indiana

- 31.77 Let a post on Left bank of White river, from which
a Poplar 10 in. dia. bear N6E13 lks. dist. of
a do 8 " " " N61W27 " "
- 35.73 Let a post on Right bank of river, from which
a Buckeye 9 in. dia. bear S72W9 lks. dist. of
a Red bud 8 " " " S33E9 " "
- 40.00 Let the gr. Sec. post, from which
an Ash 14 in. dia. bear S73E23 lks. dist. of
a Buckeye 10 " " " S11E10 " "
- 68.50 a Creek 30 lks. wide Course S.E.
- 80.00 Let a post Cor. to Sec. 31 & 32, T15 N. R3 E, from which
a Buckeye 8 in. dia. bear S10E3 lks. dist. of
a do 10 " " " N22W25 " "
Over rich Overflowed bottom. Aug. 10. 1819

- Met On S. boundary of Sec. 31, T15 N. R3 E.
- 6.75 a Sugar 20 in. dia.
- 40.00 Let the gr. Sec. post, from which
a Beech 30 in. dia. bear N60E19 lks. dist. of
a do 18 " " " S87W47 " "
- 68.07 Intersected the N & S. line between Ranges 2 & 3
E. Towns 14 & 15, at the Corner
Over good farming land, timber Beech, Sugar
Ash &c. undergrowth Spice

- Met Boundary var. 6th 00' E.
- North On E. boundary of Sec. 36, T14 N. R2 E.
- 19.25 a Walnut 19 in. dia.
- 40.00 Let the gr. Sec. post, from which
a Hackberry 14 in. dia. bear S41E31 lks. dist. of
a Buckeye 13 " " " S84W2 " "
- 80.00 Let a post Cor. to Sec. 25 & 36, T14 N. R2 E from which
a Buckeye 30 in. dia. bear S47W32 lks. dist. of

T4 N R3 E. 2^d. Mer. Indiana

Buckeye 18 in. dia. bray N 71 E 22 lks. dist.
Over low ground, rich soil, timber Walnut
Hackberry, Buckeye &c.

North On E. boundary of Sec. 25, T4 N. R2 E.
10.15 a Sugar 18 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bray N 56 W 5 lks. dist. of
a Sugar 7 " " " S 71 E 14 " "

80.00 Set a post Cor. to Sec. 24 & 25, T4 N. R2 E, from which
a Hickory 10 in. dia. bray N 15 W 40 lks. dist. of
a Do 8 " " " N 18 E 27 " "
Over rich land timber same as on last mile

North On E. boundary of Sec. 24, T4 N. R2 E.
16.50 a Hackberry 14 in. dia.

37.00 a Brook 6 lks. wide Course S. E.

40.00 Set the q. Sec. post, from which
a W. Oak 24 in. dia. bray S 29 W 12 lks. dist. of
a Beech 13 " " " N 21 E 27 " "

52.35 a Hickory 12 " "

80.00 Set a post Cor. to Sec. 13 & 24, T4 N. R2 E, from which
a Beech 20 in. dia. bray N 17 W 40 lks. dist. of
an Ash 10 " " " N 19 E 17 " "
Over good farming land.

North On E. boundary of Sec. 13, T4 N. R3 E.
24.80 a Spanish Oak 40 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bray S 33 E 31 lks. dist. of
a Hickory 18 " " " N 49 W 13 " "

56.06 a Hickory 18 " "

80.00 Set a post Cor. to Sec. 12 & 13, T4 N. R2 E, from which

T4. N. 1 R 3 E. 2^d. Mer. Indiana

a Lycamore 20 in. dia. beam, S 48° W 40 lks. dist. of
 a Do 30 " " " N 48° W 28 " "
 Over good farming land, timber Beech, Sugar
 Hickory &c.

North On E. boundary of Sec. 12, T4. N. 1 R 2 E.

11.30 a Brook 7 lks. wide Course E.

27.60 a Sugar 14 in. dia.

40.00 Let the gr. Sec. post, from which

a 6 in. dia. beam, S 26° E 17 lks. dist. of

a Sugar 24 " " " N 70° W 27 " "

62.60 a Beech 13 " "

74.80 a Creek 25 lks. wide Course S. E.

80.00 Let a post Cor. to Sec. 1 of 12, T4. N. 1 R 2 E, from which

a Beech 20 in. dia. beam, S 20° E 20 lks. dist. of

a Do 18 " " " N 20° E 5 " "

Over good farming land, timber Beech, Sugar
 Ash &c. undergrowth Spruce.

North On E. boundary of Sec. 1, T4. N. 1 R 2 E.

29.75 an Ash 14 in. dia.

40.00 Let the gr. Sec. post, from which

a Hickory 14 in. dia. beam, S 55° W 10 lks. dist. of

an Oak 15 " " " N 69° E 27 " "

75.86 Let a post Cor. to Township, N. 14 of 15 North, of
 Range N. 2 of 3 East, from which

a Beech 18 in. dia. beam, S 54° W 13 lks. dist. of

a Do 14 " " " N 76° E 46 " "

Over good farming land, timber Sugar, Beech,
 Ash &c. undergrowth Spruce &c.

Surveyed by John M. McDonald, L. S.

Subdivision

T4 N R3 E, 2nd Mer. Indiana

North Between Secs. 35 & 36, T4 N. R3 E.
9.00 a B. Oak 24 in. dia.

40.00 Set the q. Sec. post from which
a Beech 12 in. dia. bears S46 E 19 lks. dist. &
a Do 14 " " " N76 W 5 " "

54.63 a Beech 14 " "

78.65 a Do 30 " "

80.00 Set the post Corner to Secs. 35, 36, 35 & 36, from which
a Beech 12 in. dia. bears N75 E 16 lks. dist. &
a Do 14 " " " S67 W 16 " "
Land 2^d. rate timber Oak, Beech, Sugar, &c.
Spicewood & brush of various kinds.

East On Random Between Secs. 35 & 36, T4 N. R3 E.

40.00 Set the temp. q. Sec. post

80.35 Intersected the E. boundary 98 lks. S. of post.
Land 2^d. rate timber as before

West On true line Between Secs. 35 & 36, T4 N. R3 E.

40.17 1/2 Set a q. Sec. post at average dist. from which
a Beech 12 in. dia. bears N83 W 26 lks. dist. &
a Sugar 18 " " " S85 E 3 " "

80.35 to Section Corner

North Between Secs. 35 & 36, T4 N. R3 E.

17.05 a B. Walnut 30 in. dia.

26.00 a Stream 10 lks. wide Course S. W.

34.40 a W. Oak 30 in. dia.

40.00 Set a q. Sec. post from which
a Beech 14 in. dia. bears N62 E 14 lks. dist. &
a Do 14 " " " S20 W 20 " "

48.63 a Beech 14 " "

80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which

47

T4 N R 3 E 2^d. Mer. Indiana

a B. Oak 24 in. dia. bears N 28 E 21 lks. dist. ff
 a Beech 18 " " " S 28 W 26 " "
 Land 2^d. rate timber Beech Oak, Sugar &c.

East On Random Between Sec. 24 & 25, T4 N R 3 E,
 40.00 Set the temp. y. q. Sec. post.
 50.50 Intersected the E. boundary at post.
 Land and timber as before

West On true line Between Sec. 24 & 25, T4 N R 3 E,
 40.25 Set the q. Sec. post from which
 a Beech 10 in. dia. bears N 26 E 22 lks. dist. ff
 a Do 14 " " " S 46 W 27 " "
 50.50 To Section Corner

North Between Sec. 23 & 24, T4 N R 3 E,
 25.25 a Beech 12 in. dia.
 32.03 a Sugar 14 " "
 40.00 Set the q. Sec. post from which
 a Beech 6 in. dia. bears N 80 E 26 lks. dist. ff
 a Buckeye 6 " " " S 6 W 47 " "
 49.50 a Stream 5 lks. wide Course S. E.
 55.25 a Beech 12 in. dia.
 50.00 Set the post Cor. to Sec. 13 & 14, 23 & 24, from which
 an Ash 14 in. dia. bears N 56 E 13 lks. dist. ff
 a Maple 14 " " " S 23 E 19 " "
 Land 2^d. rate Oak, Beech, Sugar &c.

East On Random Between Sec. 13 & 24, T4 N R 3 E,
 40.00 Set the temp. y. q. Sec. post
 50.29 Intersected E. boundary 30 lks. N. of post.
 2^d. rate Land Beech Oak Ash &c.

T14 N. R3 E. 2^d Mer. Indiana

West On true line Between Sec. 13 & 14, T14 N. R3 E.
 40.14 1/2 Set the q. Sec. post. At average dist. from which
 an Ash 24 in. dia. bears S 7 W 25 lks. dist. &
 a Hornbeam 4 " " " N 21 W 11 " "
 80.29 to Section Corner

North Between Sec. 13 & 14, T14 N. 3 E.
 24.20 a Beech 14 in. dia.
 31.00 a Do 14 " "
 40.00 Set the q. Sec. post from which
 a Beech 10 in. dia. bears N 63 W 5 lks. dist. &
 a Do 12 " " " S 82 E 22 " "
 55.90 a Beech 14 " "
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 12 in. dia. bears N 5 W 16 lks. dist. &
 a Sycamore 18 " " " S 63 E 19 " "
 Land 2^d rate Oak Beech Sugar Elm &c.

East On Random Between Sec. 12 & 13, T14 N. R3 E.
 40.00 Set the temp. q. Sec. post
 80.12 Intersected the E. boundary 15 lks. N. of post
 Land and timber as before

West On true line Between Sec. 12 & 13, T14 N. R3 E.
 40.06 Set a q. Sec. post at average dist. from which
 a Beech 12 in. dia. bears N 5 W 15 lks. dist. &
 a Do 12 " " " S 1 E 22 " "

North Between Sec. 11 & 12, T14 N. R3 E.
 12.65 an Ash 12 in. dia.
 39.50 a Hackberry 14 " "
 40.00 Set the q. Sec. post from which
 a Beech 14 in. dia. bears N 16 E 40 lks. dist. &

T4 N R3 E, 2^d Mer. Indiana

a Beech 12 in. dia. bears S 12^W 34 lks. dist.
 44.65 a Sugar 30 " "
 79.50 a Beech 12 " "
 80.00 Set the post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 24 in. dia. bears N 35^W 21 lks. dist. &
 a W. Oak 30 " " " S 27^W 20 " "
 Land 2^d rate Oak, Ash, Beech Sugar &c.

East On Random Between Sec. 1 & 12, T4 N R3 E,
 40.00 Set the temp^y, q¹ Sec. post
 58.50 a Stream 10 lks. wide Course N. W.
 80.20 Intersected the E. line 12 lks. N. of post.
 2^d rate Land

West On true line Between Sec. 1 & 12, T4 N R3 E,
 40.10 Set a q¹ Sec. post at average dist. from which
 an Elm 14 in. dia. bears N 74^E 10 lks. dist. &
 a Sugar 3 " " " S 10^W 21 " "
 80.20 to Section Corner

North Between Sec. 1 & 2, T4 N R3 E.,
 11.65 a Stream 10 lks. wide Course S. W.
 23.64 a Beech 14 in. dia.
 28.90 a W. Oak 20 " "
 40.00 Set the q¹ Sec. post from which
 an Ash 8 in. dia. bears N 10^W 13 lks. dist. &
 a W. Oak 14 " " " S 69^E 12 " "
 52.00 a Walnut 12 " "
 78.00 Intersected the N. boundary 1.36 lks. W. of post.
 Set a post from which
 a Beech 12 in. dia. bears N 72^W 34 lks. dist. &
 a Hickory 14 " " " S 61^E 19 " "
 Land 2^d rate Beech Oak quaking Ash &c.

T4 N R3 E. 2ⁿ. Mer. Indiana

North Between Secs. 34 & 35, T4 N. R3 E.

7.70 a Beech 30 in. dia.

11.50 a stream 5 lks. wide Course S. W.

28.10 a Sugar 30 in. dia.

40.00 Set the q^r. Sec. post from which

an Ash 24 in. dia. bears N 8 W 30 lks. dist. &

a Buckeye 6 " " " S 13 - 13 " "

50.00 a stream 5 lks. wide Course W.

59.25 an Ash 24 in. dia.

69.50 an Elm 30 " "

80.00 Set a post Cor. to Secs. 26, 27, 34 & 35, from which

a Hornbeam 4 in. dia. bears N 10 W 24 lks. dist. &

a Beech 20 " " " S 50 E 20 " "

Land R. rate Ash Sugar Beech Oak &c.

East On Random Between Secs. 26 & 35, T4 N. R3 E.

31.00 a stream 10 lks. wide Course N. W.

40.00 Set the temp. q^r. Sec. post.

80.50 Intersected the N. & S. line 1.70 lks. S. of post
Land 2^d. rate Beech Oak Ash Spice wood.

West On true line Between Secs. 26 & 35, T4 N. R3 E.

40.25 Set the q^r. Sec. post at average dist. from which

a B. Oak 14 in. dia. bears N 1 E 11 lks. dist. &

an Ash 18 " " " S 10 E 5 " "

80.50 to Section Corner

North Between Secs. 26 & 27, T4 N. R3 E.

8.37 a Hickory 24 in. dia.

18.56 a W. Oak 48 " "

25.15 a stream 15^{lks} wide Course S. W.

40.00 Set the q^r. Sec. post from which

a Beech 18 in. dia. bears N 20 W 13 lks. dist. &

T4 N R3 E. 2^d. Mer Indiana

- a Beech 20 in. dia. bears S 63 E 34 lks. dist. &
 52.12 a Beech 10 " "
 63.00 a Stream 5 lks. wide Course S. W.
 70.25 a Beech 24 in. dia.
 80.00 Set the post Corner to Secs. 22, 23, 26 & 27, from which
 an Ash 10 in. dia. bears N 10 W 3 lks. dist. &
 a Hickory 6 " " " S 20 E 25 " "
 2^d. rate Land, Beech, Oak &c.

- East On Randoms Between Secs. 23 & 26, T4 N R3 E.
 31.00 a Stream 5 lks. wide Course S.
 37.00 a Do 10 " " " S.
 40.00 Set the temporary q. Sec. post
 50.50 Intersected the N. & S. line 5 lks S. of post
 Land 2^d. rate timber Beech, Oak, Hickory,

- West On true line Between Secs. 23 & 26, T4 N R3 E.
 40.25 Set the q. Sec. post at average dist. from which
 a Sugar 8 in. dia. bears S 7 W 15 lks. dist. &
 a Beech 9 " " " N 9 W 19 " "
 50.50 to Section Corner

- North Between Secs. 22 & 23, T4 N R3 E.
 17.50 a Sugar 24 in. dia.
 32.68 an Elm 24 " "
 40.00 Set the q. Sec. post from which
 a Beech 18 in. dia. bears N 7 E 12 lks. dist. &
 a Do 14 " " " S 34 E 24 " "
 58.45 an Ash 24 " "
 66.70 a Beech 10 " "
 80.00 Set a post Cor. to Secs. 14, 15, 24 & 25, from which
 an Ash 10 in. dia. bears N 57 W 44 lks. dist. &
 a Do 12 " " " S 35 E 62 " "

T4 N R3 E. 2nd Mer. Indiana

Land and timber as on the last mile

East On Random Between Sec^s. 14 & 23, T4 N, R3 E.
 40.00 Set the temp^y. q^r. Sec. post
 80.60 Intersected the N. S. line 47 lks. N. of post.
 2^d. rate Land

West On true line Between Sec^s. 14 & 23, T4 N, R3 E.
 40.30 Set the q^r. Sec. post at average dist. from which
 a Beech 14 in. dia^t. bears S 19 W 14 lks. dist. &
 a Do 16 " " " N 19 E 24 " "
 80.60 to Section Corner

North Between Sec^s. 14 & 15, T4 N, R3 E.
 26.92 a Beech 14 in. dia^t.
 33.00 a Do 20 " "
 40.00 Set the q^r. Sec. post from which
 a Beech 18 in. dia^t. bears S 17 W 35 lks. dist. &
 a Do 4 " " " N 21 E 18 " "
 44.12 a Beech 30 " "
 60.50 a W. Oak 48 " "
 80.00 Set a post Corner to Sec^s. 10, 11, 14 & 15, from which
 a Hickory 10 in. dia^t. bears N 20 E 27 lks. dist. &
 a Hickory 10 " " " South 20 " "
 2^d. rate Land Oak, Beech Sugar, Glase Birch

East On Rand^m. betwⁿ. Sec^s. 14 & 15, T4 N, R3 E.
 40.00 Set temp^y. q^r. Sec. post
 80.50 Intersected the N & S. line at the post
 Land 2^d. rate Oak, Ash, Beech, Hickory &c

West On true line between Sec^s. 14 & 15, T4 N, R3 E.
 40.25 Set the q^r. Sec. at average dist. from which

T4 N. R3 E. T. Mer. Indiana

a Beech 10 in. dia. bray S 9 W lks. dist. of
an Ash 12 " " " N 30 E 15 " "
80.50 to Sec. Corner.

North Between Sec. 10 & 11, T4 N. R3 E.

20.00 a Stream 10 lks. wide Course S. W.
25.20 a Beech 14 in. dia.
40.00 Set the q. Sec. post from which
a Sugar 10 in. dia. bears N 21 W 13 lks. dist. &
an Elm 4 " " " S 31 E 21 " "
62.40 a Beech 14 " "
68.00 a Do 20 " "
80.00 Set a post Corner To Sec. 2, 3, 10 & 11, from which
a Buckeye 3 in. dia. bears S 83 E 8 lks. dist. &
a Hickory 12 " " " S 67 W 11 " "
2. rate Land Beech, Oak &c.

East On Random Between Sec. 2 & 11, T4 N. R3 E.

40.00 Set the temp. q. Sec. post
75.00 a Stream 10 lks. wide Course S. W.
80.25 Intersected the N. & S. line at the post.
Land 2. rate timber as before

West On true line Between Sec. 2 & 11, T4 N. R3 E.

40.12 1/2 Set q. Sec. post at average dist. from which
a Sugar 14 in. dia. bray South 12 lks. dist. of
a Beech 20 " " " N 34 E 34 " "
80.25 to Sec. Corner.

North Between Sec. 2 & 3, T4 N. R3 E.

12.18 a Beech 20 in. dia.
40.00 Set the q. Sec. post, from which
a B. Oak 6 in. dia. bray N 43 W 11 lks. dist. &

T4 N. R3 E. 2. Mer Indiana

a Hickory 11 in. diam. bran East 19 lks. dist.
 49.65 a W. Oak 20 in. diam.
 77.50 Intersected the N. boundary 113 lks. West of
 post - let a post Cor. to Sec. 2 & 3, from which
 an Elm 20 in. diam. bran N 50 E 30 lks. dist.
 a Hickory 4 " " " N 85 W 18 " "
 Sand & Grate thick & brush

North Between Sec. 33 & 34, T4 N. R3 E.

15.74 a Poplar 14 in. diam.

23.80 a Beech 14 " "

40.00 Let the q. Sec. post, from which

a Beech 20 in. diam. bran N 46 E 18 lks. dist.

a Do 14 " " " N 46 W 9 " "

Sand 1st rate, Beech, Sugar, Poplar, Ash. lived

40.80 a Stream 12 lks. wide Course West

48.30 an Ash 10 in. diam.

76.43 a Beech 14 " "

80.00 Let a post Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 20 in. diam. bran N 45 E 22 lks. dist.

a Do 10 " " " N 36 W 33 " "

Sand timber &c. same as last 1/2 mile

East On Rand^m. between Sec. 27 & 34, T4 N. R3 E.

40.00 Let temp. q. Sec. post

80.40 Intersected the N. S. line 45 lks. N. of post

Sand 1st rate, Ash, Walnut, Sugar &c.

West On true line between Sec. 27 & 34, T4 N. R3 E.

40.20 Let the q. Sec. post at average dist. from which

a Cherry 18 in. diam. bran N 37 W 22 lks. dist.

a B. Walnut 20 " " " N 36 E 10 " "

80.40 to Sec. Corner.

T4N R3E 2^d Mer. Indiana

North Between Secs. 27 & 28, T4N. R3E.
27.00 an Ash 20 in. diam.

40.00 Let the gr. Sec. post, from which
an Elm 5 in. diam. branch S 21° W 21 lks. dist
a B. Oak 8 " " " S 52° E 16 " "

57.94 a Beech 14 " "

65.55 a Do 20 in. diam.

80.00 Let a post Cor. to Secs. 21, 22, 27 & 28, from which
a W. Oak 30 in. diam. branch N 69° E 16 lks. dist
a Lycamore 36 " " " S 40° W 21 " "
Land 2^d rate, Oak, Ash, Walnut &c

East On Rand^m between Secs. 22 & 27, T4N. R3E.

11.00 a Stream 10 lks. wide N.W.

40.00 Let temp^y gr. Sec. post

80.37 Intersected the N. & S. line 50 lks. S. of post
1st 1/2 mile 2^d rate - last 1/2 Swamp

West Corrected between Secs. 22 & 27, T4N. R3E.

40.18 1/2 Let gr. Sec. post at average dist. from which
an Elm 36 in. diam. branch S 29° W 15 lks. dist
an Ash 10 " " " S 25° E 18 " "

80.37 to Sec. Corner

North Between Secs. 21 & 22, T4N. R3E.

7.00 a Stream 10 lks. wide Course W.

21.38 a Beech 12 in. diam.

26.50 a Do 16 " "

40.00 Let the gr. Sec. post, from which
a Beech 12 in. diam. branch N 33° E 18 lks. dist
a Buckeye 8 " " " S 20° W 20 " "

61.06 a Hickory 14 " "

80.00 Let a post Cor. to Secs. 15, 16, 21 & 22, from which

Shelby N 3 E. 2^d. Mer. Indiana

a Beech 18 in. dia. bray S 70 E 30 lks. dist.
 & a Do 12 " " " N 42 W 28 " "
 Land 2^d. rate, timber Beech, Oak &c.

East On Land 9^m. between Sec. 15 & 22, T4 N. R3 E.

40.00 Set temp. q^r. Sec. post in a swamp

80.30 Intersected the N & S. line 66 lks. S. of post
 Land 2^d. rate very brushy

West On true line betwⁿ. Sec. 15 & 22, T4 N. R3 E.

40.15 Set q^r. Sec. post, from which

a Beech 12 in. dia. bray S 61 W 23 lks. dist.

& a Walnut 14 " " " N 37 W 22 " "

80.30 to Sec. Corner.

North Between Sec. 15 & 16, T4 N. R3 E.

15.15 a W. Oak 20 in. dia.

40.00 Set the q^r. Sec. post, from which

an Ash 10 in. dia. bray N 44 E 14 lks. dist. &

a Do 5 " " " S 37 W 15 " "

50.00 a B. Oak 48 " "

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which

a Hackberry 4 in. dia. bray N 88 E. 4 lks. dist. &

a W. Oak 14 " " " N 73 W 14 " "

First half mile hilly & broken, all 3^d. rate

East On Land 9^m. between Sec. 10 & 15, T4 N. R3 E.

40.00 Set temp. q^r. Sec. post

80.30 Intersected the N & S. line 30 lks. S. of post

Land hilly, timber Oak, Beech &c. 2^d. rate

West On true line between Sec. 10 & 15, T4 N. R3 E.

40.15 Set q^r. Sec. post at average dist. from which

57

14 N. R 3 E. 2nd Mer. Indiana

a Beech 3 mi. dia. brang N 32 E 4 lks. dist. of
 a do 4 " " " S 12 E 14 " "
 80.30 to Sec. Corner.

North Between Sec. 9 & 10, 14 N. R 3 E.

14.50 a Stream 10 lks. wide Course S. W.

38.00 a W. Oak 14 mi. dia.

40.00 at the q. Sec. post, from which
 a W. Oak 20 mi. dia. brang N 70 E 9 lks. dist. of
 a Sugar 10 " " " S 33 W 25 " "

45.26 a Beech 12 " "

64.60 a W. Oak 30 " "

80.00 at a post Cor. to Sec. 3, 4, 9 & 10, from which
 a W. Oak 12 mi. dia. brang S 40 E 35 lks. dist. of
 a Hornbeam 6 " " " S 30 W 22 " "
 Corner in swamp - Land 3rd rate

East On Land 2nd between Sec. 3 & 10, 14 N. R 3 E.

40.00 at temp. q. Sec. post

80.40 intersected the N & S line 10 lks. N. of post
 Land 2nd rate Oak, Beech, W. Ash &c.

West On true line between Sec. 3 & 10, 14 N. R 3 E

40.20 at q. Sec. post at average dist. from which
 a Sugar 14 mi. dia. brang S 45 E 20 lks. dist. of
 a Hornbeam 5 " " " N 54 E 4 " "

80.40 to Sec. Corner

North Between Sec. 3 & 4, 14 N. R 3 E.

14.50 a W. Oak 30 mi. dia.

40.00 at the q. Sec. post, from which
 a Hickory 6 mi. dia. brang N 50 E 12 lks. dist. of
 a do 6 " " " S 55 W 19 " "

Map R3E. 2. Mer. Indiana

45.50 a W. Oak 36 in. dia.

76.15 Intersected the N. boundary 165 lks. N. of post
 Set a post Cor. to Secs. 30 & 4, from which
 an Elm 14 in. dia. bears N 16 1/4 W 4 lks. dist. &
 a W. Oak 12 " " " S 45 E 10 " "
 Land flat 2^d rate, Oak, Beech, Elm &c.

North Between Secs. 32 & 33, T4 N. R3 E.

8.10 an Elm 30 in. dia.

15.00 a Stream 15 lks. wide Course S. W.

31.40 an Elm 10 in. dia.

40.00 Set the q. Sec. post from which
 a Buckeye 12 in. dia. bears N 44 1/4 W 7 lks. dist. &
 a Beech 8 " " " S 32 E 20 " "

46.55 a Locust 12 " "

77.15 a Sugar 14 " "

80.00 Set a post Corner to Secs. 28, 29, 32 & 33, from which
 a Sugar 20 in. dia. bears S 52 1/4 W 19 lks. dist. &
 a Beech 14 " " " N 6 1/4 W 24 " "

East On Random Between Secs. 28 & 33, T4 N. R3 E.

40.00 Set the temp. q. Sec. post

80.27 Intersected the N. & S. line 97 lks. S. of post.
 Land 2^d rate Beech Sugar Oak & Hickory.

West On True line Between Secs. 28 & 33, T4 N. R3 E.

40.13 1/2 Set a q. Sec. post at average dist. from which
 a Buckeye 14 in. dia. bears S 57 1/4 W 14 lks. dist. &
 a Beech 14 " " " N 25 E 32 " "

80 27 to Section Corner

North Between Secs. 28 & 29, T4 N. R3 E.

13.55 a Beech 12 in. dia.

Map R3E, 2^d Mer. Indiana

59

35.95 an Ash 14 in. dia.

40.00 Set the q^r. Sec. post

In Swamp

no bearing trees

60.00 left the Swamp

75.00 a Stream 15 lks. wide ^{E.} S. W.

80.00 Set a post Corner to Sec^s. 20, 21, 28 & 29, from which
a Hornbeam 12 in. dia. bears S 50 E 9 lks. dist. &
a Hornbeam 5 " " " S 84 W 5 " "
Land 3^d. rate Swampy & brushy

East On Random Between Sec^s. 20 & 21, T14 N. R 3 E,

18.50 a Stream 15 lks. wide Course S. W

40.00 Set the temp^y. q^r. Sec. post.

80.00 Intersected the N. & S. line 1.55 lks. N. of post.
Land 2^d. rate Swampy covered with brush

West On true line Between Sec^s. 20 & 21, T14 N. R 3 E,

40.00 Set the q^r. Sec. post / at average dist. from which
a Beech 18 in. dia. bears S 14 W 20 lks. dist. &
a Hickory 20 " " " N 30 E 35 " "

80.00 to Section Corner

North Between Sec^s. 20 & 21, T14 N. R 3 E,

22.20 a B. Oak 14 in. dia.

40.00 Set the q^r. Sec. post from which

an Ash 10 in. dia. bears S 49 W 3 lks. dist. &

a No 3 " " " N 41 E 23 " "

42.55 a B. Oak 30 " "

80.00 Set a post Corner to Sec^s. 16, 17, 20 & 21, from which
a Beech 14 in. dia. bears N 40 E 24 lks. dist. &
a W. Oak 30 " " " S 30 W 21 " "
Land 3^d. rate last 1/2 mile flat.

T4 N R3 E. 2^d. Mer. Indiana

East On Prandom Between Sec^s. 16 & 21, T4 N R3 E.
 40.00 Set the temp^y. q^r. Sec. post.
 80.15 Intersected the N. & S. line 1.00 lks. N. of post
 Land 2^d. rate timber, Oak, Beech, W. Ash, & buckeye.

West On true line Between Sec^s. 16 & 21, T4 N R3 E.
 40.07 1/2 Set a q^r. Sec. post at average dist. from which
 a Beech 12 in. dia^r. bears N 92 W 18 lks. dist. &
 a W. Oak 20 " " " S 51 E 18 " "
 80.15 to Section Corner

North Between Sec^s. 16 & 17, T4 N R3 E.
 29.85 a Beech 10 in. dia^r.
 40.00 Set the q^r. Sec. post from which
 an Elm 14 in. dia^r. bears N 10 E 7 lks. dist. &
 an Ash 8 " " " S 20 E 23 " "
 48.95 a Beech 12 " "
 80.00 Set a post Corner to Sec^s. 8, 9, 16 & 17, from which
 an Ironwood 5 in. dia^r. bears S 6 W 21 lks. dist. &
 a Do 4 " " " N 40 E 22 " "
 Land 3^d. rate Swampy brushy

East On ^{Range} Between Sec^s. 9 & 16, T4 N R3 E.
 40.00 Set the temp^y. q^r. Sec. post
 80.02 Intersected the N. & S. line at the post.
 Land 5^d. rate Beech, Oak, W. Ash, Maple,

West On true line Between Sec^s. 9 & 16, T4 N R3 E.
 40.01 Set a q^r. Sec. post at average dist. from which
 a Buckeye 10 in. dia^r. bears N 57 E 12 lks. dist. &
 a Do 8 " " " S 21 W 21 " "
 80.02 to Section Corner

T4. N. R3 E. 2ⁿ. Mer. Indiana

North Between Sec. 8 & 9, T4 N. R3 E.
 28.60 a Hickory 14
 40.00 Set the q. Sec. post from which
 a W. Oak 14 in. dia. bears N 50 W 6 lks. dist. 8
 an Ash 30 " " " S 24 E 29 " "
 68.00 an Elm 30 " "
 80.00 Set the post Corner to Sec. 4, 5, 8, & 9, from which
 a Hickory 12 in. dia. bears N 78 W 15 lks. dist.
 an Ash 6 " " " S 43 E 10 " "
 First 1/2 mile 2^d rate last 1/2. Swamp

East On Random Between Sec. 4 & 9, T4 N. R3 E.
 40.00 Set the temp. q. Sec. post.
 90.20 Intersected the N. & S. line 10 lks. N. of post.
 Land 2^d rate timber Beech, Maple, Oak, W. Ash &c.

West On true line Between Sec. 4 & 9, T4 N. R3 E.
 40.10 Set the q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears S 81 E 12 lks. dist. 8
 a W. Oak 12 " " " N 14 E 19 " "
 90.20 to Section Corner

North Between Sec. 4 & 5, T4 N. R3 E.
 19.45 a Hickory 14 in. dia. bears
 40.00 Set the q. Sec. post from which
 an Elm 4 in. dia. bears N 33 E 4 lks. dist. 8
 a Hickory 14 " " " S 75 W 47 " "
 69.85 a Sugar 14 " "
 74.00 Intersected the N. boundary 1.73 lks. W. of post
 Set a post from which
 a W. Oak 24 in. dia. bears N 40 E 47 lks. dist. 8
 a Do 30 " " " S 9 W 19 " "
 Land 2^d rate timber as before.

M⁴N R3 E. 2^d Mer. Indiana

North Between Sec^s. 31 & 32, S14 N. R3 E,

- 6.50 Set a post on left bank of River, from which
a Boxelder 12 in. dia. bears S 77 W 22 lks. dist. &
a Buckeye 10 " " " S 57 E 15 " "
- 11.11 Set a post on Right bank of River, from which
a Sycamore 14 in. dia. bears N 41 E 7 lks. dist. &
a Maple 12 " " " S 45 W 33 " "
- 30.83 a Hackberry 14 " "
- 35.50 Set a post on the Right bank of River, from which
a Mulberry 8 in. dia. bears S 85 W 5 lks. dist. &
an Ash 10 " " " S 61 E 16 " "
- 40.00 Set of Sec. post on left bank of River, from which
a Maple 4 in. dia. bears N 87 W 15 lks. dist. &
a Do 10 " " " N 86 E 17 " "
- 58.19 a Sycamore 14 " "
- 60.14 Set a post on Left bank of River, from which
a Boxelder 8 in. dia. bears N 29 E 12 lks. dist. &
a Hackberry 10 " " " S 50 W 46 " "
- 65.91 Set a post on Right bank of River, from which
an Ash 10 in. dia. bears S 73 W 4 lks. dist. &
a Do 12 " " " S 49 E 7 " "
- 80.00 Set a post Cor. Sec^s. 29, 30, 31 & 32, from which
a Buckeye 10 in. dia. bears N 25 E 15 lks. dist. &
a Do 14 " " " S 6 W 11 " "
- Land 2^d rate.

East On Random Between Sec^s. 29 & 32, S14 N. R3 E,

- 14.61 Set a post on Right bank of River, from which
an Elm 16 in. dia. bears N 54 E 15 lks. dist. &
a Do 12 " " " S 24 E 15 " "
- 20.00 Set a post on left bank of R. River, from which
a Hornbeam 4 in. dia. bears N 60 E 24 lks. dist. &
a Do 4 " " " S 31 W 9 " "

Map R3 E. 2^d Mer. Indiana

40.00 Set the ^{temp^y} q^r. Sec. post from which
 80.31 Intersected the N. & S. line 10 lks. S. of post
 Land 2^d rate

West On True line Between Secs. 29 & 32, S14 N. R. 3 E.
 40.15 $\frac{1}{2}$ Set a q^r. Sec. post at average dist. from which, &
 a Hackberry 16 in. dia^r. bears S15 W. 22 lks dist. &
 a Hornbeam 10 " " " N24 W 9 " "
 80.31 to Section Corner.

West Between Secs. 30 & 31, S14 N. R. 3 E.
 40.00 Set a q^r. Sec. post from which
 a Boxelder 8 in. dia^r bears N15 W 11 lks dist. &
 a Buckeye 3 " " " S17 E 17 " "
 66.47 Intersected the West boundary 40 lks. N. of post
 Set a post from which
 a Hackberry 14 in. dia^r. bears N69 W 3 lks dist. &
 a Do 30 " " " S69 E 42 " "
 Land 2^d rate flat

North Between Secs. 29 & 30, S14, N. R. 3 E.
 19.50 Set a post on Right bank of River from which
 a Maple 12 in. dia^r. bears S9 E 21 lks. dist. &
 a Willow 12 " " " N22 W 21 " "
 23.90 Set a post on Left bank of W. River from which
 a Hackberry 14 in. dia^r. bears S70 E 30 lks. dist. &
 a Do 14 " " " N8 W 32 " "
 38.00 a Hackberry 14 " "
 40.00 Set the q^r. Sec. post from which
 a Hackberry 10 in. dia^r. bears N52 E 25 lks. dist. &
 a Do 18 " " " S12 W 47 " "
 43.30 Set a post on Left bank of River, from which
 a Locust 12 in. dia^r. bears N88 W 12 lks. dist. &

Met R 3 E. 2nd Mer. Indiana

- a Hackberry 18 in. dia. bears S 67 E 22 lks. dist. 8
 49.50 Set a post on Right bank of River from which
 a Boxelder 4 in. dia. bears S 87 E 3 lks. dist. 8
 a Do 3 " " " N 87 W 6 " "
 68.00 Set a post on Right bank river, from which
 a Boxelder 12 in. dia. bears N 61 W 6 lks. dist. 8
 a Locust 14 " " " S 51 E 27 " "
 80.00 this Corner falls in the River
 Set a post Cor. to Sec. 19, 20, 29 & 30. from which
 a Hackberry 12 in. dia. bears N 33 E 23 lks. dist. 8
 a Do 20 " " " N 87 W 53 " "
 Land 2^d. rate

- East On Random Between Sec. 20 & 29, S 14 N, R 3 E,
 3.00 a Stream 10 lks. wide Course S. W.
 40.00 Set the temp. 7. q. Sec. post.
 80.25 Intersected the N. & S. line 34 lks. S. of post
 Land 2^d. rate Sugar Buckeye 4c.

- West On true line Between Sec. 20 & 29, S 14 N, R 3 E,
 40.12 1/2 Set a q. Sec. post at average dist. from which
 a Hornbeam 10 in. dia. bears S 20 E 33 lks. dist. 8
 a Do 3 " " " N 1 W 11 " "
 80.25 to Section Corner.

- West Between Sec. 19 & 30, S 14 N, R 3 E,
 7.50 Set a post on Right bank of River from which
 an Elm 12 in. dia. bears S 79 W 21 lks. dist. 8
 a Maple 5 " " " S 3 E 23 " "
 28.50 Set a post on the Right bank again from which
 a B. Walnut 14 in. dia. bears ——— 1 lks. dist. 8
 a Buckeye 12 " " " N 55 E 33 lks. dist.
 34.40 Set a post, on Right bank of river, from which

T4 N R3 E, T. Mer. Indiana

- a cottonwood 8 in. dia. bears N 35 E 32 lks. dist.
 The line merely reaches across the river & recrossed
- 40.00 Set q. Sec. post in edge of River from which
 a cottonwood 10 in. dia. bears West 75 lks. dist.
- 44.50 Set a post on Right bank of river from which
 a Willow 3 in. dia. bears N 64 E 4 lks. dist. &
 a Do 12 " " " S 70 W 31 " "
- 66.30 Intersected the West boundary 20 lks. N. of post.
 Set a post from which
 a Hickory 8 in. dia. bears N 55 E 8 lks. dist. &
 a Sugar 12 " " " S 84 W 46 " "
 Land 2^d. rate timber Sugar, Hickory &c
-

- North Between Sec. 17 & 20, T4 N, R3 E.
- 11.20 a Hackberry 12 in. dia.
- 40.00 Set the q. Sec. post from which
 a Hickory 12 in. dia. bears N 32 E 8 lks. dist. &
 a Buckeye 10 " " " S 34 W 11 " "
- 49.15 a Locust 18 " "
- 70.00 a Stream 5 lks. wide Course W.
- 80.00 Set a post Corner to Sec. 17, 18, 19 & 20. from which
 a Buckeye 12 in. dia. bears S 5 W 15 lks. dist. &
 a Do 10 " " " N 9 W 19 " "
 Land 1st. rate River Bottom.
-

- East On Random Between Sec. 17 & 20, T4 N, R3 E.
- 37.11 a Pond 350 lks. wide, appears about a mile long
- 40.00 Set the temp. q. Sec. post
- 50.22 Intersected the N. & S. line 79 lks. S. of post.
 Land 3^d. rate Poor Swampy & overflowed.
-

- West On true line Between Sec. 17 & 20, T4 N, R3 E.
- 40.11 Set a q. Sec. post at average dist. from which

T4 N R3 E 2^d Mer. Indiana

a B. Oak 20 in. dia. bears N 3 W 9 lks. dist. &
 a Buckeye 10 " " " S 66 W 16 " "
 30.22 to Section Corner.

West Between Sec. 13 & 19, T4 N. R3 E.

6.00 Set a post on left bank of W. River, from which
 a W. Thorn 10 in. dia. bears S 27 W 37. lks. dist. &
 a Do 10 " " " N 75 E 23 " "

21.50 Set a post on Right bank of River, from which
 a Maple 8 in. dia. bears S 87 E 27. lks. dist. &
 a Sycamore 14 " " " N 15 W 20 " "

40.00 Set the q. Sec. post from which
 a Buckeye 8 in. dia. bears N 76 W 6 lks. dist. &
 a Hackberry 12 " " " S 87 E 7 " "

66.81 Intersected the W. boundary 8 lks. N. of post.
 Set a post Cor. to Sec. 13 & 19, from which
 an Ash 10 in. dia. bears N 11 E 8 lks. dist. &
 a Beech 14 " " " S 12 W 54 " "
 Land 2^d rate

North Between Sec. 17 & 18, T4 N. R3 E.

4.00 Set a post on the left bank of W. River, from which
 an Ash 30 in. dia. bears N 37 E 23 lks. dist. &
 a Hackberry 14 " " " S 45 W 43 " "

20.00 Set a post on left bank of River again, from which
 a Sycamore 18 in. dia. bears N 66 E 56 lks. dist. &
 a Willow 10 " " " N 96 W 27 " "

40.00 Set the q. Sec. post, from which
 a Hackberry 18 in. dia. bears N 47 E 43. lks. dist. &
 a Do 20 " " " N 71 W 11 " "

46.50 a Hackberry 20 " "

31.00 Set a post Cor. Sec. 7, 8, 17 & 18, from which
 a Sugar 8 in. dia. bears N 2 E 33. lks. dist. &

Plot N 3 E. 2^d Mer. Indiana

67

a Sugar 18 in. dia. bears S 6^W 19 lks. dist.
Land 1st rate River Bottom.

East On Random Between Sec. 7th 17, S 14 N. R 3 E.
40.00 Set the temp. y. g. Sec. post
30.22 Intersected the N. & S. line 25 lks. N. of post
Land 3^d rate very brushy and flat.

West On True line Between Sec. 7th 17, S 14 N. R 3 E.
40.11 Set g. Sec. post at average. dist. from which
a Hickory 6 in. dia. bears North 3 lks. dist. &
a Horn 4 " " " S 30 E 14 " "
30.22 to Section Corner.

West Between Sec. 7th 18, S 14 N. R 3 E.
8.00 Set a post on left bank of W. River. from which
a Maple 10 in. dia. bears S 29^W 7 lks. dist. &
a Do 5 " " " N 29 E 12 " "
11.80 Set a post on right bank of River. from which
a Boxelder 12 in. dia. bears S 70 E 2 lks. dist. &
a Do 8 " " " N 70^W 10 " "
40.00 Set g. Sec. post from which
a Beech 10 in. dia. bears N 31^W 7 lks. dist. &
a Hornbeam 4 " " " S 33 E 15 " "
66.66 Intersected the W. boundary 29 lks. South of post
Set a post Cor. to Sec. 7th 18. from which
a Hornbeam 4 in. dia. bears N 5 E 9 lks. dist.
a Beech 14 " " " S 35 E 25 " "
Land 2^d rate Beech Ash Oak. &c.

North Between Sec. 7th 18, S 14 N. R 3 E.
37.40 a Hackberry 20 in. dia.
40.00 Set the g. Sec. post from which

N4N R3E, 2ⁿ Mer. Indiana

- a Buckeye 14 in. dia. bears N 73 E 50 lks dist. 4
 a Do 12 " " " N 32 W 27 " "
 52.50 Set a post on left bank of W. River from which
 a W. Horn 12 in. dia. bears N 17 W 29 lks. dist. 8
 a Buckeye 20 " " " S 11 E 28 " "
 58.25 Set a post on Right bank of River from which
 a Willow 12 in. dia. bears S 5 E 15 lks. dist. 6
 a Box Elder 9 " " " N 64 W 47 " "
 68.71 a Hackberry 18 in. dia.
 80.00 Set a post Corner to Sec. 5, 6, 7 & 8, from which
 a Hackberry 20 in. dia. bears N 16 W 15 lks. dist. 6
 a Do 5 " " " S 27 W 16 " "
 Land 2^d rate flat

East On Road^m. between Sec. 5 & 8, N4N. R3E.

- 40.00 Set temp. q. Sec. post
 41.00 to White River S.E. a Sycamore 24 in dia.
 45.40 to E. side of River
 80.31 Intersected the N & S. line 120 lks. S. of post
 Land 2^d rate,

West On true line between Sec. 5 & 8, N4N. R3E.

- 34.91 Set a post on Left bank of River from which
 a Hickory 6 in. dia. bears N 67 E 10 lks. dist. 4
 a Do 14 " " " N 66 W 15 " "
 39.31 Set a post on Right bank of River from which
 a Sycamore 24 in. dia. bears S 9 W 10 lks. dist. 4
 a Do 12 " " " N 5 E 5 " "
 40.15 1/2 Set q. Sec. post at average dist. from which
 a Sycamore 4 in. dia. bears N 66 E 18 lks. dist. 4
 an Elm 12 " " " N 35 W 16 " "
 80.31 to Sec. Corner

T14 N. R3 E. 2nd Mer. Indiana

West Between Secs. 6 & 7, T14 N. R3 E.

- 40.00 Set the gr. Sec. post, from which
 a Sugar 5 in. dia. bay S30°12' W. dist. of
 a Hickory 3 " " " N30°E23 " "
 67.00 Intersected the N. boundary 1.14 lks. S. of post.
 Set a post Cor. to Secs. 6 & 7, from which
 a Hickory 14 in. dia. bay N85°E4 lks. dist. of
 a Buckeye 14 " " " S78°W27 " "
 Sand timber &c. same as on the last mile

North Between Secs. 5 & 6, T14 N. R3 E.

- 21.00 a Hickory 14 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Beech 20 in. dia. bay N32°E20 lks. dist. of
 a Do 12 " " " S6°E31 " "
 44.00 Set a post on right bank of White river, from which
 a Hickory 10 in. dia. bay S54°W4 lks. dist. of
 a Sugar 14 " " " N33°W25 " "
 61.50 Set a post on same side of river & N. side of bend, from which
 a Sugar 10 in. dia. bay S63°W12 lks. dist. of
 a Do 8 " " " N21°W35 " "
 73.57 Intersected the N. boundary, 177 lks. N. of post
 Set a post Cor. to Secs. 5 & 6, from which
 a Hornbeam 6 in. dia. bay N78°E19 lks. dist. of
 a Buckeye 10 " " " N86°W12 " "
 Sand 2nd rate, timber Ash, Beech, Oak &c.

Meanders of the Left Bank of White River
 Commencing at a post in the S. boundary of
 T14 N. R3 E. Thence up stream.

N18°E	6.50	mi	Sec. 31
N71°E	6.50		
N48°E	4.50		

T4 N. R3 E. 2^d. Mer. Indiana

N81E	6.00	
N65E	11.50	
N86E	5.00	
N66E	3.50	
N82E	3.50	
East	9.00	
N82½E	1.09	to line between Sec. 31 & 32

N80E	3.00	in Sec. 32, T4 N. R3 E.
N88E	2.50	
N71E	3.00	
N46E	2.50	
N51E	4.00	
N30E	9.50	at 3.50 Head of Island
N13E	5.00	
N8 W	7.50	
N36 W	9.00	
N77 W	6.00	at 1.00 Stream 10 lbs. East
S. 80 W	7.00	
S. 48 W	0.50	Intersected line between Sec. 31 & 32.

N64 W	8.00	in Sec. 31, T4 N. R3 E
N33 W	2.50	
N2E	4.00	
N32E	9.00	
N55E	3.50	
N39E	1.14	Intersected line between Sec. 31 & 32.

N57E	3.50	in Sec. 32, T4 N. R3 E
N71E	7.50	
N49E	8.00	
N28E	5.00	
N10E	4.50	

T4 N. R3 E. 2^d Mer. Indiana

<i>N24 1/2 E 2 . 04</i>	<i>Intersected line between Sec. 29 & 32.</i>	
<i>N22 E 3 . 50</i>	<i>in Sec. 29, T4 N. R3 E</i>	
<i>N5 E 6 . 00</i>		
<i>N24 1/2 8 . 00</i>		
<i>N54 1/2 6 . 00</i>		
<i>N73 1/2 4 . 00</i>		
<i>N60 1/2 5 . 00</i>	<i>at 1.50 a stream 5 lks. East.</i>	
<i>S84 1/2 4 . 50</i>		
<i>N12 1/2 1 . 36</i>	<i>Intersected line between Sec. 29 & 30.</i>	
<i>S18 1/2 8 . 50</i>	<i>in Sec. 30, T4 N. R3 E</i>	
<i>S51 1/2 13 . 00</i>		
<i>S85 1/2 3 . 50</i>		
<i>N81 1/2 8 . 50</i>		
<i>N30 1/2 4 . 00</i>		
<i>N5 1/2 6 . 50</i>		
<i>N17 E 5 . 00</i>		
<i>N33 E 7 . 00</i>		
<i>N60 E 7 . 00</i>		
<i>N76 E 5 . 00</i>		
<i>S87 E 9 . 00</i>		
<i>N60 E 4 . 50</i>		
<i>N74 E 3 . 00</i>	<i>Intersected line between Sec. 29 & 30.</i>	
<i>N60 E 1 . 03</i>		
<i>N59 E 3 . 50</i>	<i>in Sec. 29, T4 N. R3 E</i>	
<i>N32 E 5 . 50</i>		
<i>N17 E 6 . 50</i>		
<i>N9 1/2 3 . 50</i>		
<i>N4 1/2 5 . 00</i>		
<i>N21 1/2 12 . 50</i>		
<i>N33 1/2 4 . 70</i>	<i>Intersected N. line at Cor. To Sec. 19, 20, 29 & 30.</i>	

Map R3E2, Mer. Indiana

N58W	4.50	in Sec. 19, Map R3E
N44W	14.00	
N75W	2.00	
S89W	2.00	
N69W	3.50	
S79W	5.00	
S31W	6.50	
S3E	2.50	
S24W	3.50	
S60W	2.50	
S71W	1.60	to line between Secs. 19 & 30

N63W	3.50	in Sec. 19 again
N29W	6.00	
N68W	4.50	
West	4.00	
N63W	7.50	
N60E	5.50	
N41E	9.00	
N15E	3.00	
N42E	14.00	
N76E	7.00	
N54E	9.00	
N10E	7.00	
N21E	2.50	
N2E	3.00	
N13E	4.00	
N2W	18.00	
N48E	3.50	
N71E	3.50	
N88E	4.50	
N62E	1.09	Intersected line between Secs. 18 & 19.

T4N R3E 2nd Mer. Indiana

N70 E 5.50 in Sec. 18

N29 E 1.00

N18 E 1.31 Intersected line between Sec. 18 & 17.

N39 E 4.00 in Sec. 17

N6 E 2.50

N17 W 9.68 Intersected line between Sec. 17 & 18.

N72 W 3.00 in Sec. 18, T4N R3E

N48 W 6.50

N29 W 1.50

N5 E 16.50

N32 E 5.00

N19 E 9.00

N1 E 11.50

N18 W 6.00

N75 W 3.50

N13 W 4.00

N24 W 2.91 Intersected line between Sec. 7 & 18.

N6 W 8.50 in Sec. 7

N12 E 8.00

N11 W 6.50

N5 W 3.00

N33 W 11.00

N13 W 4.00

N9 E 4.50

N18 W 2.00

N2 E 8.50

N66 E 3.75

S63 E 6.00

S45 E 5.00

S66 E 2.91 Intersected line between Sec. 7 & 8.

Sh N E 3 E 2nd Mer. Indiana

S 67 E	6.00	in Sec. 8, T14 N. R 3 E
S 87 E	4.50	
N 76 E	9.50	at 6.00 Point of Island.
N 63 E	7.00	
N 73 E	9.00	To Head of Island
N 45 E	14.50	
N 16 E	3.50	Intersected line between Sec. 5 & 8.
N 19 E	3.00	
N 5 W	6.00	
N 10 1/2 W	1.45	

N 20 W	1.50	in Sec. 5, T14 N. R 3 E
N 14 W	6.00	
N 45 W	1.50	
N 38 W	5.00	
N 61 W	6.50	
N 75 W	4.00	
N 55 W	9.50	
N 31 W	14.50	
N 56 W	3.50	
N 42 W	5.00	
N 18 W	3.00	
N 56 W	7.00	
North	4.00	
N 15 E	7.50	
N 66 E	3.25	
S 61 E	5.00	
S 46 E	11.00	
S 61 E	15.50	
S 78 E	6.00	
N 83 E	6.00	
S 78 E	4.50	
N 78 E	5.00	

S 14 N R 3 E, 2^d Mer. Indiana

75

N 46 E 5.00

N 30 E 5.00

N 3 W 8.00

N 56 W 6.50

N 22 W 11.50

North 4.00 Intersected line between S. 14, & 15.

Meanders of Right bank of White River, from
post in N. boundary, S 15 N, R 3 E, thence downstream.

S 10 W 3.50 in Sec 5, T 14 N, R 3 E.

S 13 E 10.00

S 24 E 5.00

S 35 E 9.50

S 29 W 8.50

N 88 W 9.50

N 85 W 9.00

N 50 W 4.00

N 35 W 2.50

N 72 W 7.00

N 47 W 9.00

N 14 W 4.50

N 63 W 4.00

N 85 W 3.50

S 61 W 6.50

S 37 W 2.60 Intersected line between Sec. 5 & 6.

S 26 W 6.00 in Sec. 6

S 1 W 6.50

S 25 E 5.00

S 35 E 1.30 Intersected line between Sec. 5 & 6

S 37 E 3.50 in Sec. 5, T 14 N, R 3 E

S 51 E 2.50

S 14 N R 3 E. 2nd Mrs. Indiana

S 39 E 3.00
 S 54 E 2.00
 S 40 E 9.50
 S 25 E 6.50
 S 47 E 10.00
 S 60 E 2.50
 S 53 E 3.00
 S 69 E 5.00
 S 57 E 4.00
 S 40 E 5.00
 S 13 E 3.00
 S 28 E 1.17

Intersected line between Sec. 5 & 7.

S 7 E 7.00 in Sec. 8
 S 19 W 3.00
 S 42 W 5.00
 S 65 W 6.00
 S 45 W 8.50
 S 70 W 7.00
 S 65 W 7.50
 N 88 W 8.00
 N 35 W 4.00
 N 62 W 1.17

Intersected line between Sec. 7 & 8.

N 57 W 13.50 in Sec 7, S 14 N, R 3 E
 S 60 W 7.50
 S 10 W 20.50 at 2.00 W Stream 10 lks. West
 S 15 E 3.50
 S 30 E 4.50
 S 20 E 20.00
 S 2 W 3.50
 S 27 W 4.50
 S 8 E 7.50

T4 N R3 E 2^d. Mer. Indiana

S 32 1/2 E	1.05	Intersected line between Sec. 7 & 18.
S 13 E	6.00	in Sec 18, T4 N. R3 E
S 22 E	14.50	
S 18 W	14.00	
S 65 W	5.00	
S 3 E	18.00	
S 33 E	22.50	
S 35 W	7.50	
N 83 W	10.00	Intersected line between Sec. 18 & 19.
S 61 1/2 W	7.38	
South	8.50	in Sec. 19, T4 N. R3 E.
S 9 W	10.00	
S 11 E	5.50	
S 7 W	7.50	
S 33 W	7.00	
S 62 W	5.00	
N 89 W	4.00	
S 46 W	9.00	
S 1 E	5.00	
S 35 W	5.50	
S 72 W	7.50	
S 14 W	7.50	
S 12 E	8.75	
S 87 E	13.00	Intersected line between Sec. 19 & 30.
S 17 W	4.13	
S 9 W	3.00	in Sec. 30
S 68 E	3.50	
N 44 E	7.50	
N 60 E	5.50	
N 55 E	1.10	Intersected lin. between Sec. 19 & 30.

St. R. R. 3 E. 2^d Mer. Indiana

N 38 E 3.50 in Sec 19.

N 17 E 4.50

N 65 E 6.00

S 70 E 8.00

S 34 E 6.50

S 37 1/2 E 1.82 Intersected line between Sec. 19 & 30.

S 37 E 11.00 in Sec. 30

S 15 E 3.54 Intersected line between Sec. 29 & 30

S 26 E 4.00 in Sec. 29

S 41 E 7.50

S 19 W 7.50

S 44 1/2 W 0.91 Intersected line between Sec. 29 & 30

S 54 W 9.50 in Sec. 30

S 89 W 4.50

N 67 W 2.50

S 88 W 6.00

S 60 W 12.50

S 31 W 7.50

S 13 W 7.00

S 12 E 2.50

S 6 E 5.50

S 36 E 6.00

S 69 E 7.50

N 40 E 10.00

N 59 E 5.50

N 39 E 2.00

N 57 E 4.00

N 76 E 5.50

S 79 1/2 E 0.50 Intersected line between Sec. 29 & 30.

Map R3E.2nd Mer. Indiana

79

S85 E	7.50	in Sec 29, Map R3E.
S57 E	8.50	
S30 E	41.00	
S15 E	5.00	
S19 W	3.50	
S29 W	2.50	
S64 W	1.00	Intersected line between Sect. 29 & 32.

S20. W	4.00	in Sec. 32
S35 W	3.00	
S54 W	3.00	
S46 W	4.75	
S66 W	3.50	
S48 W	4.00	Intersected line between Sect. 31 & 32.

S49 W	11.00	in Sec 31
S26 W	10.50	
S3 W	4.00	
S29 E	2.00	
S16 E	2.50	
S44 E	7.00	
S83 E	6.00	
N85 1/2 -	0.60	Intersected line between Sect. 31 & 32.

East	11.00	in Sec. 32
S38 E	4.00	
S9 E	6.50	
S16 W	2.50	
S27 W	6.50	
S50 W	10.00	
S83 W	3.00	
N80 W	0.68	Intersected line between Sect. 31 & 32.

Twp. N. 14. N. - Range N. 3 E. 2^d Mer. Indiana

N 86 W 11. 00 in Sec. 31

S 75 W 4. 00

S 83 W 8. 00

N 70 W 11. 50

S 80 W 9. 00

S 55 W 3. 00

S 66 W 6. 00

S 34 W 7. 50

S 3 E 2. 50

Intersected line between T. 13 & 14.
 Surveyed in 1825 by W. H. Langhlin D.S.

 Comp^d

I certify that the foregoing transcript of field notes of
 Township N. 14. N. - Range N. 3 E. 2^d Mer. Indiana, has
 been Comp^d with the original notes in this office and
 found to be correct.

Surveyor Gen^l Office
 Cincinnati May 28th 1841

W. H. Rains
 Sur^g Gen^l